ELSEVIER

Journal of Affective Disorders 54 (1999) 329–331

JOURNAL OF AFFECTIVE DISORDERS

Author index

Agosti, V.
One year clinical and psychosocial outcomes of early-onset chronic depression (54) 171
Akdemir, A., see Türkçapar, M.H. (54) 101
Akiskal, H.S., see Perugi, G. (54) 277
Appleby, L., see Reed, P. (54) 255
Asghari, A., see Wilhelm, K. (54) 139
Avasthi, A., Sharma, A., Malhotra, S., Gupta, N., Kulhara, P. and Malhotra, S.
Rapid cycling affective disorder: a descriptive study from North India (54) 67

Bäckman, L., see Degl'Innocenti, A. (54) 205
Bakish, D., see Chouinard, G. (54) 39
Bakker, A., Spinhoven, P., van Balkom, A.J.L.M., Matser, D. and van Dyck, R.
Double-blindness procedure did not mask giving of medication in panic disorder (54) 189
Barnhill, L.J., see Horrigan, J.P. (54) 309
Basu, D., see Kulhara, P. (54) 87
Baumann, B., Danos, P., Krell, D., Diekmann, S., Wurthmann, C., Bielau, H., Bernstein, H.-G. and Bogerts, B.
Unipolar–bipolar dichotomy of mood disorders is supported by noradrenergic brainstem system morphology (54) 217
Beauclair, L., see Chouinard, G. (54) 39
Bedi, R.P.
Depression: an inability to adapt to one's perceived life distress? (54) 225
Beekman, A.T.F., see Braam, A.W. (54) 149
Bélanger, M.-C., see Chouinard, G. (54) 39
Bell, B., see Browne, G. (54) 303
Benazzi, F.
A comparison of the age of onset of bipolar I and bipolar II outpatients (54) 249
Bernadt, M., see Shergill, S.S. (54) 287
Bernstein, H.-G., see Baumann, B. (54) 217
Bielau, H., see Baumann, B. (54) 217
Biollaz, J., see Dafflon, M. (54) 199
Bogerts, B., see Baumann, B. (54) 217
Braam, A.W., Beekman, A.T.F., van den Eeden, P., Deeg, D.J.H., Knipscheer, K.P.M. and van Tilburg, W.
Religious climate and geographical distribution of depressive symptoms in older Dutch citizens (54) 149
Browne, G., Steiner, M., Roberts, J., Gafni, A., Byrne, C., Bell, B., Mills, M., Chalkin, L., Wallik, D., Kraemer, J. and Dunn, E.
Prevalence of dysthymic disorder in primary care (54) 303
Buclin, T., see Dafflon, M. (54) 199
Buss, T.J.R., see Grider, G. (54) 261
Byrne, C., see Browne, G. (54) 303

Cabras, P.L., see Hardoy, M.C. (54) 315
Canet, J., see Seguí, J. (54) 109
Carmody, T.J., see Kowatch, R.A. (54) 269
Carta, M.G., see Hardoy, M.C. (54) 315
Carter, J.D., Joyce, P.R., Mulder, R.T., Luty, S.E. and Sullivan, P.F.
Early deficient parenting in depressed outpatients is associated with personality dysfunction and not with depression subtypes (54) 29
Cassano, G.B., Dell'Osso, L., Frank, E., Miniati, M., Fagiolini, A., Shear, K., Pini, S. and Maser, J.
The bipolar spectrum: a clinical reality in search of diagnostic criteria and an assessment methodology (54) 319
Chalkin, L., see Browne, G. (54) 303
Chopra, R., see Kulhara, P. (54) 87
Chouinard, G., Saxena, B., Bélanger, M.-C., Ravindran, A., Bakish, D., Beauclair, L., Morris, P., Vasavan Nair, N.P., Manchanda, R., Reesal, R., Remick, R. and O'Neill, M.C.
A Canadian multicenter, double-blind study of paroxetine and fluoxetine in major depressive disorder (54) 39
Cooney, J., see Scott, L.V. (54) 129
Costello, F., see Gormley, N. (54) 49
Cusin, C., see Lattuada, E. (54) 183

Dafflon, M., Décosterd, L.A., Biollaz, J., Preisig, M., Dufour, H. and Buclin, T.
Trace lithium in mood disorders (54) 199
Danos, P., see Baumann, B. (54) 217
Décosterd, L.A., see Dafflon, M. (54) 199
Deeg, D.J.H., see Braam, A.W. (54) 149
Degl'Innocenti, A. and Bäckman, L.
Source memory in major depression (54) 205
Dell'Osso, L., see Cassano, G.B. (54) 319
Demirergi, N., see Türkçapar, M.H. (54) 101
Dewhurst-Savellis, J., see Wilhelm, K. (54) 139
Diekmann, S., see Baumann, B. (54) 217

S0165-0327(99)00114-7

Dinan, T.G., see Scott, L.V. (54) 129
Dufour, H., see Dafflon, M. (54) 199
Dunn, E., see Browne, G. (54) 303
Duwe, H., see Stoppe, G. (54) 193

El-Mallakh, R.S., see Grider, G. (54) 261
Elmore, M., see Jennings, K.D. (54) 21
Emslie, G.J., see Kowatch, R.A. (54) 269
Engström, G., see Pendse, B. (54) 55

Fagiolini, A., see Cassano, G.B. (54) 319
Faragher, B., see Reed, P. (54) 255
Frank, E., see Cassano, G.B. (54) 319
Friedman, E.S., see Thase, M.E. (54) 1
Friedman, R.A., Markowitz, J.C., Parides, M., Gniwesch, L. and Kocsis, J.H.
Six months of desipramine for dysthymia: can dysthymic patients achieve normal social functioning? (54) 283

Gafni, A., see Browne, G. (54) 303
García, L., see Seguí, J. (54) 109
Gasperini, M., see Lattuada, E. (54) 183
Glen, T. and Scott, A.I.F.
Rates of electroconvulsive therapy use in Edinburgh (1992–1997) (54) 81
Gniwesch, L., see Friedman, R.A. (54) 283
Gormley, N., O'Leary, D. and Costello, F.
First admissions for depression: is the 'no-treatment interval' a critical predictor of time to remission? (54) 49
Grider, G., El-Mallakh, R.S., O'Malley Huff, M., Buss, T.J.R., Miller, J. and Valdes Jr., R.
Endogenous digoxin-like immunoreactive factor (DLIF) serum concentrations are decreased in manic bipolar patients compared to normal controls (54) 261
Gupta, N., see Avasthi, A. (54) 67

Hardoy, M.C., Hardoy, M.J., Carta, M.G. and Cabras, P.L.
Gabapentin as a promising treatment for antipsychotic-induced movement disorders in schizoaffective and bipolar patients (54) 315
Hardoy, M.J., see Hardoy, M.C. (54) 315
Horrigan, J.P. and Barnhill, L.J.
Guanfacine and secondary mania in children (54) 309
Hughes, C.W., see Kowatch, R.A. (54) 269
Huppertz, C., see Stoppe, G. (54) 193

Intaprasert, S., see Srisurapanont, M. (54) 97

Jennings, K.D., Ross, S., Popper, S. and Elmore, M.
Thoughts of harming infants in depressed and nondepressed mothers (54) 21
Joyce, P.R., see Carter, J.D. (54) 29
Joyce, P.R., see Luty, S.E. (54) 75

Katona, C.L.E., see Shergill, S.S. (54) 287
Kiliç, E.Z., see Türkçapar, M.H. (54) 101
Kitamura, T., see Sugawara, M. (54) 161
Kivelä, S.-L., Luukinen, H., Sulkava, R., Viramo, P. and Koski, K.
Marital and family relations and depression in married elderly Finns (54) 177
Knipscheer, K.P.M., see Braam, A.W. (54) 149
Kocsis, J.H., see Friedman, R.A. (54) 283
Koski, K., see Kivelä, S.-L. (54) 177
Kowatch, R.A., Carmody, T.J., Emslie, G.J., Rintelmann, J.W., Hughes, C.W. and Rush, A.J.
Prediction of response to fluoxetine and placebo in children and adolescents with major depression: a hypothesis generating study (54) 269
Kraemer, J., see Browne, G. (54) 303
Krell, D., see Baumann, B. (54) 217
Kulhara, P., see Avasthi, A. (54) 67
Kulhara, P., Basu, D., Mattoo, S.K., Sharan, P. and Chopra, R.
Lithium prophylaxis of recurrent bipolar affective disorder: Long-term outcome and its psychosocial correlates (54) 87

Laitinen-Krispijn, S., van der Ende, J. and Verhulst, F.C.
The role of pubertal progress in the development of depression in early adolescence (54) 211
Lam, R.W., see Yatham, L.N. (54) 295
Lattuada, E., Serretti, A., Cusin, C., Gasperini, M. and Smeraldi, E.
Symptomatologic analysis of psychotic and non-psychotic depression (54) 183
Lenzi, M., see Perugi, G. (54) 277
Luty, S.E., see Carter, J.D. (54) 29
Luty, S.E., Joyce, P.R., Mulder, R.T., Sullivan, P.F. and McKenzie, J.M.
The relationship of dysfunctional attitudes to personality in depressed patients (54) 75
Luukinen, H., see Kivelä, S.-L. (54) 177

Malhotra, S., see Avasthi, A. (54) 67
Malhotra, S., see Avasthi, A. (54) 67
Manchanda, R., see Chouinard, G. (54) 39
Markowitz, J.C., see Friedman, R.A. (54) 283
Márquez, M., see Seguí, J. (54) 109
Maser, J., see Cassano, G.B. (54) 319
Matser, D., see Bakker, A. (54) 189
Mattoo, S.K., see Kulhara, P. (54) 87
McKenzie, J.M., see Luty, S.E. (54) 75
Miller, J., see Grider, G. (54) 261
Mills, M., see Browne, G. (54) 303
Miniati, M., see Cassano, G.B. (54) 319
Morris, P., see Chouinard, G. (54) 39
Mulder, R.T., see Carter, J.D. (54) 29
Mulder, R.T., see Luty, S.E. (54) 75

Nassini, S., see Perugi, G. (54) 277

O'Leary, D., see Gormley, N. (54) 49
O'Malley Huff, M., see Grider, G. (54) 261
O'Neill, M.C., see Chouinard, G. (54) 39
Örsel, S.D., see Türkçapar, M.H. (54) 101
Ortiz, M., see Seguí, J. (54) 109
Özbay, M.H., see Türkçapar, M.H. (54) 101

Parides, M., see Friedman, R.A. (54) 283
Parker, G., see Wilhelm, K. (54) 139
Pendse, B., Westrin, Å. and Engström, G.
Temperament traits in seasonal affective disorder, suicide attempters with non-seasonal major depression and healthy controls (54) 55
Perugi, G., Nassini, S., Socci, C., Lenzi, M., Toni, C., Simonini, E. and Akiskal, H.S.
Avoidant personality in social phobia and panic–agoraphobic disorder: a comparison (54) 277
Pini, S., see Cassano, G.B. (54) 319
Popper, S., see Jennings, K.D. (54) 21
Preisig, M.,, see Dafflon, M. (54) 119

Ravindran, A., see Chouinard, G. (54) 39
Reed, P., Sermin, N., Appleby, L. and Faragher, B.
A comparison of clinical response to electroconvulsive therapy in puerperal and non-puerperal psychoses (54) 255
Reesal, R., see Chouinard, G. (54) 39
Remick, R., see Chouinard, G. (54) 39
Rintelmann, J.W., see Kowatch, R.A. (54) 269
Roberts, J., see Browne, G. (54) 303
Robertson, M.M., see Shergill, S.S. (54) 287
Ross, S., see Jennings, K.D. (54) 21
Rush, A.J., see Kowatch, R.A. (54) 269

Sakamoto, S., see Sugawara, M. (54) 161
Salahuddin, F., see Scott, L.V. (54) 129
Salvador-Carulla, L., see Seguí, J. (54) 109
Sandholzer, H., see Stoppe, G. (54) 193
Saxena, B., see Chouinard, G. (54) 39
Scott, A.I.F., see Glen, T. (54) 81
Scott, L.V., Salahuddin, F., Cooney, J., Svec, F. and Dinan, T.G.
Differences in adrenal steroid profile in chronic fatigue syndrome, in depression and in health (54) 129
Seguí, J., Márquez, M., García, L., Canet, J., Salvador-Carulla, L. and Ortiz, M.
Differential clinical features of early-onset panic disorder (54) 109
Sermin, N., see Reed, P. (54) 255
Serretti, A., see Lattuada, E. (54) 183
Sharan, P., see Kulhara, P. (54) 87
Sharma, A., see Avasthi, A. (54) 67
Shear, K., see Cassano, G.B. (54) 319
Shergill, S.S., Robertson, M.M., Stein, G., Bernadt, M. and Katona, C.L.E.
Outcome in refractory depression (54) 287
Shiah, I.-S., see Yatham, L.N. (54) 295
Shima, S., see Sugawara, M. (54) 161
Simmens, S.J., see Sotsky, S.M. (54) 237
Simonini, E., see Perugi, G. (54) 277
Sirin, A., see Türkçapar, M.H. (54) 101
Smeraldi, E., see Lattuada, E. (54) 183
Smolka, M. and Stieglitz, R.-D.
On the validity of the Bech-Rafaelsen Melancholia Scale (BRMS) (54) 119
Socci, C., see Perugi, G. (54) 277
Sotsky, S.M. and Simmens, S.J.
Pharmacotherapy response and diagnostic validity in atypical depression (54) 237
Spinhoven, P., see Bakker, A. (54) 189
Srisurapanont, M. and Intaprasert, S.
Seasonal variations in mood and behaviour: epidemiological findings in the north tropics (54) 97
Staedt, J., see Stoppe, G. (54) 193
Stein, G., see Shergill, S.S. (54) 287
Steiner, M., see Browne, G. (54) 303
Stieglitz, R.-D., see Smolka, M. (54) 119
Stoppe, G., Sandholzer, H., Huppertz, C., Duwe, H. and Staedt, J.
Family physicians and the risk of suicide in the depressed elderly (54) 193
Sugawara, M., Sakamoto, S., Kitamura, T., Toda, M.A. and Shima, S.
Structure of depressive symptoms in pregnancy and the postpartum period (54) 161
Sulkava, R., see Kivelä, S.-L. (54) 177
Sullivan, P.F., see Carter, J.D. (54) 29
Sullivan, P.F., see Luty, S.E. (54) 75
Svec, F., see Scott, L.V. (54) 129

Tam, E.M., see Yatham, L.N. (54) 295
Thase, M.E. and Friedman, E.S.
Is psychotherapy an effective treatment for melancholia and other severe depressive states? (54) 1
Toda, M.A., see Sugawara, M. (54) 161
Toni, C., see Perugi, G. (54) 277
Türkçapar, M.H., Akdemir, A., Örsel, S.D., Demirergi, N., Sirin, A., Kiliç, E.Z. and Özbay, M.H.
The validity of diagnosis of melancholic depression according to different diagnostic systems (54) 101

Valdes Jr., R., see Grider, G. (54) 261
van Balkom, A.J.L.M., see Bakker, A. (54) 189
van den Eeden, P., see Braam, A.W. (54) 149
van der Ende, J., see Laitinen-Krispijn, S. (54) 211
van Dyck, R., see Bakker, A. (54) 189
van Tilburg, W., see Braam, A.W. (54) 149
Vasavan Nair, N.P., see Chouinard, G. (54) 39
Verhulst, F.C., see Laitinen-Krispijn, S. (54) 211
Viramo, P., see Kivelä, S.-L. (54) 177

Wallik, D., see Browne, G. (54) 303
Westrin, Å., see Pendse, B. (54) 55
Wilhelm, K., Parker, G., Dewhurst-Savellis, J. and Asghari, A.
Psychological predictors of single and recurrent major depressive episodes (54) 139
Wurthmann, C., see Baumann, B. (54) 217

Yatham, L.N., Shiah, I.-S., Lam, R.W., Tam, E.M. and Zis, A.P.
Hypothermic, ACTH, and cortisol responses to ipsapirone in patients with mania and healthy controls (54) 295

Zis, A.P., see Yatham, L.N. (54) 295

ELSEVIER

Journal of Affective Disorders 54 (1999) 333–337

JOURNAL OF AFFECTIVE DISORDERS

Subject index

Abuse; Depression; Depressive disorder; Aged; Marital relations; Family relations; Predictor; Violence **54,** 177

ACTH; Serotonin; 5-HT_{1A} receptors; Ipsapirone; Hypothermia; Cortisol; Mania **54,** 295

Adolescents; Depressive syndromes; Pubertal development; Child Behavior Checklist; Youth Self-Report; Longitudinal **54,** 211

Adolescents; Children; Fluoxetine; Placebo; Major depressive disorder; Prediction of response **54,** 269

Adults; Dysthymic disorder; Primary care; Prevalence **54,** 303

Affective disorder; Rapid cycling affective disorder; Bipolar affective disorder **54,** 67

Affective disorder; Gabapentin; Tardive dyskinesia; Movement disorders **54,** 315

Affective disorders; Depression; Anxiety disorders; Risk factors; Prediction of recurrence **54,** 139

Affective disorders; Lithium; Trace elements; Atomic absorption spectrophotometry; Cell membrane; Controlled investigation **54,** 199

Age at onset; Bipolar I disorder; Bipolar II disorder; Severity; Outpatients **54,** 249

Aged; Depression; Depressive disorder; Marital relations; Family relations; Predictor; Abuse; Violence **54,** 177

Agoraphobia; Avoidant personality; Interpersonal sensitivity; Social phobia; Panic disorder **54,** 277

Androgens; Chronic fatigue syndrome (CFS); Depression; Hypothalamico–pituitary–adrenal (HPA) axis; Dehydroepiandrosterone (DHEA); Cortisol **54,** 129

Antianxiety; Depression; Anxiety; Paroxetine; Fluoxetine; Antidepressant; SSRIs **54,** 39

Antidepressant; Depression; Anxiety; Paroxetine; Fluoxetine; SSRIs; Antianxiety **54,** 39

Anxiety; Depression; Paroxetine; Fluoxetine; Antidepressant; SSRIs; Antianxiety **54,** 39

Anxiety disorders; Depression; Affective disorders; Risk factors; Prediction of recurrence **54,** 139

Assessment of depression; BRMS; Validity; Observer rating; Self-report **54,** 119

Atomic absorption spectrophotometry; Affective disorders; Lithium; Trace elements; Cell membrane; Controlled investigation **54,** 199

Attention-deficit; Guanfacine; Tourette's; Mania; Children **54,** 309

Atypical depression; Imipramines; Pharmacotherapy; Placebo **54,** 237

Avoidant personality; Interpersonal sensitivity; Social phobia; Panic disorder; Agoraphobia **54,** 277

Biological markers; Melancholia; Endogenous depression; Depression subtypes; Cortisol; TSH **54,** 101

Bipolar affective disorder; Rapid cycling affective disorder; Affective disorder **54,** 67

Bipolar affective disorders; Lithium; Prophylaxis; Psychosocial factors **54,** 87

Bipolar disorder; Mood disorders; Psychotic; Psychopathology; Delusions; Depressive disorder **54,** 183

Bipolar disorder; Major depression; Classification; Locus coeruleus; Brainstem transmitter systems **54,** 217

Bipolar I disorder; Bipolar II disorder; Age at onset; Severity; Outpatients **54,** 249

Bipolar II disorder; Bipolar I disorder; Age at onset; Severity; Outpatients **54,** 249

Bipolar II disorder; Bipolar spectrum; Hypomania; Subthreshold bipolarity **54,** 319

Bipolar illness; Digoxin-like immunoreactive factor (DLIF); Manic-depressive illness; Na,K-ATPase; Ouabain-like compound (OLC); Sodium, potassium-activated adenosine triphosphatase; Sodium pump **54,** 261

Bipolar spectrum; Bipolar II disorder; Hypomania; Subthreshold bipolarity **54,** 319

Brainstem transmitter systems; Bipolar disorder; Major depression; Classification; Locus coeruleus **54,** 217

BRMS; Assessment of depression; Validity; Observer rating; Self-report **54,** 119

Case vignettes; Suicide; Depression; Old age; Primary care; Family physicians; Cued and uncued answers **54,** 193

S0165-0327(99)00115-9

Cell membrane; Affective disorders; Lithium; Trace elements; Atomic absorption spectrophotometry; Controlled investigation **54,** 199

Child Behavior Checklist; Depressive syndromes; Pubertal development; Adolescents; Youth Self-Report; Longitudinal **54,** 211

Children; Depressed mothers; Infants; Thoughts of harm **54,** 21

Children; Adolescents; Fluoxetine; Placebo; Major depressive disorder; Prediction of response **54,** 269

Children; Guanfacine; Attention-deficit; Tourette's; Mania **54,** 309

Chronic depression; Follow-up; Relapse **54,** 171

Chronic fatigue syndrome (CFS); Depression; Hypothalamico–pituitary–adrenal (HPA) axis; Androgens; Dehydroepiandrosterone (DHEA); Cortisol **54,** 129

Classification; Bipolar disorder; Major depression; Locus coeruleus; Brainstem transmitter systems **54,** 217

Cognitive functions; Source memory; Major depression **54,** 205

Community; Religion; Context; Depression; Elderly **54,** 149

Context; Religion; Depression; Elderly; Community **54,** 149

Continuation treatment; Desipramine; Dysthymia; Social functioning **54,** 283

Controlled investigation; Affective disorders; Lithium; Trace elements; Atomic absorption spectrophotometry; Cell membrane **54,** 199

Coping; Major depression; Stress; Diathesis–stress models **54,** 225

Cortisol; Melancholia; Endogenous depression; Depression subtypes; Biological markers; TSH **54,** 101

Cortisol; Chronic fatigue syndrome (CFS); Depression; Hypothalamico–pituitary–adrenal (HPA) axis; Androgens; Dehydroepiandrosterone (DHEA) **54,** 129

Cortisol; Serotonin; 5-HT_{1A} receptors; Ipsapirone; Hypothermia; ACTH; Mania **54,** 295

Cued and uncued answers; Suicide; Depression; Old age; Primary care; Family physicians; Case vignettes **54,** 193

Dehydroepiandrosterone (DHEA); Chronic fatigue syndrome (CFS); Depression; Hypothalamico–pituitary–adrenal (HPA) axis; Androgens; Cortisol **54,** 129

Delusions; Mood disorders; Psychotic; Psychopathology; Bipolar disorder; Depressive disorder **54,** 183

Depressed mothers; Infants; Children; Thoughts of harm **54,** 21

Depression; Melancholia; Psychobiology; Endogenous; Response **54,** 1

Depression; Anxiety; Paroxetine; Fluoxetine; Antidepressant; SSRIs; Antianxiety **54,** 39

Depression; Outcome; No-treatment interval; Neuroticism **54,** 49

Depression; Chronic fatigue syndrome (CFS); Hypothalamico–pituitary–adrenal (HPA) axis; Androgens; Dehydroepiandrosterone (DHEA); Cortisol **54,** 129

Depression; Affective disorders; Anxiety disorders; Risk factors; Prediction of recurrence **54,** 139

Depression; Religion; Context; Elderly; Community **54,** 149

Depression; Depressive disorder; Aged; Marital relations; Family relations; Predictor; Abuse; Violence **54,** 177

Depression; Suicide; Old age; Primary care; Family physicians; Cued and uncued answers; Case vignettes **54,** 193

Depression subtypes; Melancholia; Endogenous depression; Biological markers; Cortisol; TSH **54,** 101

Depressive disorder; Depression; Aged; Marital relations; Family relations; Predictor; Abuse; Violence **54,** 177

Depressive disorder; Mood disorders; Psychotic; Psychopathology; Delusions; Bipolar disorder **54,** 183

Depressive illness; Electroconvulsive therapy; Puerperal psychosis; Response to treatment **54,** 255

Depressive symptoms; Pregnancy and the postpartum period; Follow-up **54,** 161

Depressive syndromes; Pubertal development; Adolescents; Child Behavior Checklist; Youth Self-Report; Longitudinal **54,** 211

Desipramine; Continuation treatment; Dysthymia; Social functioning **54,** 283

Diathesis–stress models; Major depression; Stress; Coping **54,** 225

Digoxin-like immunoreactive factor (DLIF); Bipolar illness; Manic-depressive illness; Na,K-ATPase; Ouabain-like compound (OLC); Sodium, potassium-activated adenosine triphosphatase; Sodium pump **54,** 261

Dysfunctional attitudes; Major depression; Personality **54,** 75

Dysthymia; Continuation treatment; Desipramine; Social functioning **54,** 283

Dysthymic disorder; Primary care; Prevalence; Adults **54,** 303

Early-onset; Panic disorder; Familial loading; Social phobia **54,** 109

ECT; Psychiatic; Rehabilitation; Regression; Therapy **54,** 81

Elderly; Religion; Context; Depression; Community **54,** 149

Electroconvulsive therapy; Depressive illness; Puerperal psychosis; Response to treatment **54,** 255

Endogenous; Depression; Melancholia; Psychobiology; Response **54,** 1

Endogenous depression; Melancholia; Depression subtypes; Biological markers; Cortisol; TSH **54,** 101

Familial loading; Panic disorder; Early-onset; Social phobia **54,** 109

Family physicians; Suicide; Depression; Old age; Primary care; Cued and uncued answers; Case vignettes **54,** 193

Family relations; Depression; Depressive disorder; Aged; Marital relations; Predictor; Abuse; Violence **54,** 177

Fluoxetine; Depression; Anxiety; Paroxetine; Antidepressant; SSRIs; Antianxiety **54,** 39

Fluoxetine; Children; Adolescents; Placebo; Major depressive disorder; Prediction of response **54,** 269

Follow-up; Depressive symptoms; Pregnancy and the postpartum period **54,** 161

Follow-up; Chronic depression; Relapse **54,** 171

Gabapentin; Tardive dyskinesia; Movement disorders; Affective disorder **54,** 315

Guanfacine; Attention-deficit; Tourette's; Mania; Children **54,** 309

5-HT_{1A} receptors; Serotonin; Ipsapirone; Hypothermia; ACTH; Cortisol; Mania **54,** 295

Hypomania; Bipolar spectrum; Bipolar II disorder; Subthreshold bipolarity **54,** 319

Hypothalamico–pituitary–adrenal (HPA) axis; Chronic fatigue syndrome (CFS); Depression; Androgens; Dehydroepiandrosterone (DHEA); Cortisol **54,** 129

Hypothermia; Serotonin; 5-HT_{1A} receptors; Ipsapirone; ACTH; Cortisol; Mania **54,** 295

Imipramines; Atypical depression; Pharmacotherapy; Placebo **54,** 237

Infants; Depressed mothers; Children; Thoughts of harm **54,** 21

Interpersonal sensitivity; Avoidant personality; Social phobia; Panic disorder; Agoraphobia **54,** 277

Ipsapirone; Serotonin; 5-HT_{1A} receptors; Hypothermia; ACTH; Cortisol; Mania **54,** 295

KSP; Seasonal affective disorders; SAD; Major depression; Suicide attempt; Temperament; MNT **54,** 55

Lithium; Bipolar affective disorders; Prophylaxis; Psychosocial factors **54,** 87

Lithium; Affective disorders; Trace elements; Atomic absorption spectrophotometry; Cell membrane; Controlled investigation **54,** 199

Lithium augmentation; Resistant depression; Outcome **54,** 287

Locus coeruleus; Bipolar disorder; Major depression; Classification; Brainstem transmitter systems **54,** 217

Longitudinal; Depressive syndromes; Pubertal development; Adolescents; Child Behavior Checklist; Youth Self-Report **54,** 211

Major depression; Seasonal affective disorders; SAD; Suicide attempt; Temperament; MNT; KSP **54,** 55

Major depression; Personality; Dysfunctional attitudes **54,** 75

Major depression; Source memory; Cognitive functions **54,** 205

Major depression; Bipolar disorder; Classification; Locus coeruleus; Brainstem transmitter systems **54,** 217

Major depression; Stress; Diathesis–stress models; Coping **54,** 225

Major depressive disorder; Parental bonding; Personality; Risk factor **54,** 29

Major depressive disorder; Children; Adolescents; Fluoxetine; Placebo; Prediction of response **54,** 269

Mania; Serotonin; 5-HT_{1A} receptors; Ipsapirone; Hypothermia; ACTH; Cortisol **54,** 295

Mania; Guanfacine; Attention-deficit; Tourette's; Children **54,** 309

Manic-depressive illness; Bipolar illness; Digoxin-like immunoreactive factor (DLIF); Na,K-ATPase; Ouabain-like compound (OLC); Sodium, potassium-activated adenosine triphosphatase; Sodium pump **54,** 261

Marital relations; Depression; Depressive disorder; Aged; Family relations; Predictor; Abuse; Violence **54,** 177

Melancholia; Depression; Psychobiology; Endogenous; Response **54,** 1

Melancholia; Endogenous depression; Depression subtypes; Biological markers; Cortisol; TSH **54,** 101

MNT; Seasonal affective disorders; SAD; Major depression; Suicide attempt; Temperament; KSP **54,** 55

Mood disorders; Psychotic; Psychopathology; Delusions; Bipolar disorder; Depressive disorder **54,** 183

Movement disorders; Gabapentin; Tardive dyskinesia; Affective disorder **54,** 315

Na,K-ATPase; Bipolar illness; Digoxin-like immunoreactive factor (DLIF); Manic-depressive illness; Ouabain-like compound (OLC); Sodium, potassium-activated adenosine triphosphatase; Sodium pump **54,** 261

Neuroticism; Depression; Outcome; No-treatment interval **54,** 49

No-treatment interval; Depression; Outcome; Neuroticism **54,** 49

Observer rating; Assessment of depression; BRMS; Validity; Self-report **54,** 119

Old age; Suicide; Depression; Primary care; Family physicians; Cued and uncued answers; Case vignettes **54,** 193

Ouabain-like compound (OLC); Bipolar illness; Digoxin-like immunoreactive factor (DLIF); Manic-depressive illness; Na,K-ATPase; Sodium, potassium-activated adenosine triphosphatase; Sodium pump **54,** 261

Outcome; Depression; No-treatment interval; Neuroticism **54,** 49

Outcome; Resistant depression; Lithium augmentation **54,** 287

Outpatients; Bipolar I disorder; Bipolar II disorder; Age at onset; Severity **54,** 249

Panic disorder; Early-onset; Familial loading; Social phobia **54,** 109

Panic disorder; Avoidant personality; Interpersonal sensitivity; Social phobia; Agoraphobia **54,** 277

Parental bonding; Major depressive disorder; Personality; Risk factor **54,** 29

Paroxetine; Depression; Anxiety; Fluoxetine; Antidepressant; SSRIs; Antianxiety **54,** 39

Personality; Major depressive disorder; Parental bonding; Risk factor **54,** 29

Personality; Major depression; Dysfunctional attitudes **54,** 75

Pharmacotherapy; Atypical depression; Imipramines; Placebo **54,** 237

Placebo; Atypical depression; Imipramines; Pharmacotherapy **54,** 237

Placebo; Children; Adolescents; Fluoxetine; Major depressive disorder; Prediction of response **54,** 269

Prediction of recurrence; Depression; Affective disorders; Anxiety disorders; Risk factors **54,** 139

Prediction of response; Children; Adolescents; Fluoxetine; Placebo; Major depressive disorder **54,** 269

Predictor; Depression; Depressive disorder; Aged; Marital relations; Family relations; Abuse; Violence **54,** 177

Pregnancy and the postpartum period; Depressive symptoms; Follow-up **54,** 161

Prevalence; Dysthymic disorder; Primary care; Adults **54,** 303

Primary care; Suicide; Depression; Old age; Family physicians; Cued and uncued answers; Case vignettes **54,** 193

Primary care; Dysthymic disorder; Prevalence; Adults **54,** 303

Prophylaxis; Lithium; Bipolar affective disorders; Psychosocial factors **54,** 87

Psychiatic; ECT; Rehabilitation; Regression; Therapy **54,** 81

Psychobiology; Depression; Melancholia; Endogenous; Response **54,** 1

Psychopathology; Mood disorders; Psychotic; Delusions; Bipolar disorder; Depressive disorder **54,** 183

Psychosocial factors; Lithium; Bipolar affective disorders; Prophylaxis **54,** 87

Psychotic; Mood disorders; Psychopathology; Delusions; Bipolar disorder; Depressive disorder **54,** 183

Pubertal development; Depressive syndromes; Adolescents; Child Behavior Checklist; Youth Self-Report; Longitudinal **54,** 211

Puerperal psychosis; Depressive illness; Electroconvulsive therapy; Response to treatment **54,** 255

Rapid cycling affective disorder; Bipolar affective disorder; Affective disorder **54,** 67

Regression; ECT; Psychiatic; Rehabilitation; Therapy **54,** 81

Rehabilitation; ECT; Psychiatic; Regression; Therapy **54,** 81

Relapse; Chronic depression; Follow-up **54,** 171

Religion; Context; Depression; Elderly; Community **54,** 149

Resistant depression; Lithium augmentation; Outcome **54,** 287

Response; Depression; Melancholia; Psychobiology; Endogenous **54,** 1

Response to treatment; Depressive illness; Electroconvulsive therapy; Puerperal psychosis **54,** 255

Risk factor; Major depressive disorder; Parental bonding; Personality **54,** 29

Risk factors; Depression; Affective disorders; Anxiety disorders; Prediction of recurrence **54,** 139

SAD; Seasonal affective disorders; Major depression; Suicide attempt; Temperament; MNT; KSP **54,** 55

Seasonal affective disorders; SAD; Major depression; Suicide attempt; Temperament; MNT; KSP **54,** 55

Seasonal affective disorder; Tropics; Seasonal Pattern Assessment Questionnaire **54,** 97

Seasonal Pattern Assessment Questionnaire; Seasonal affective disorder; Tropics **54,** 97

Self-report; Assessment of depression; BRMS; Validity; Observer rating **54,** 119

Serotonin; 5-HT_{1A} receptors; Ipsapirone; Hypothermia; ACTH; Cortisol; Mania **54,** 295

Severity; Bipolar I disorder; Bipolar II disorder; Age at onset; Outpatients **54,** 249

Social functioning; Continuation treatment; Desipramine; Dysthymia **54,** 283

Social phobia; Panic disorder; Early-onset; Familial loading **54,** 109

Social phobia; Avoidant personality; Interpersonal sensitivity; Panic disorder; Agoraphobia **54,** 277

Sodium pump; Bipolar illness; Digoxin-like immunoreactive factor (DLIF); Manic-depressive illness; Na,K-ATPase; Ouabain-like compound (OLC); Sodium, potassium-activated adenosine triphosphatase **54,** 261

Sodium, potassium-activated adenosine triphosphatase; Bipolar illness; Digoxin-like immunoreactive factor (DLIF); Manic-depressive illness; Na,K-ATPase; Ouabain-like compound (OLC); Sodium pump **54,** 261

Source memory; Major depression; Cognitive functions **54,** 205

SSRIs; Depression; Anxiety; Paroxetine; Fluoxetine; Antidepressant; Antianxiety **54,** 39

Stress; Major depression; Diathesis–stress models; Coping **54,** 225

Subthreshold bipolarity; Bipolar spectrum; Bipolar II disorder; Hypomania **54,** 319

Suicide; Depression; Old age; Primary care; Family physicians; Cued and uncued answers; Case vignettes **54,** 193

Suicide attempt; Seasonal affective disorders; SAD; Major depression; Temperament; MNT; KSP **54,** 55

Tardive dyskinesia; Gabapentin; Movement disorders; Affective disorder **54,** 315

Temperament; Seasonal affective disorders; SAD; Major depression; Suicide attempt; MNT; KSP **54,** 55

Therapy; ECT; Psychiatic; Rehabilitation; Regression **54,** 81

Thoughts of harm; Depressed mothers; Infants; Children **54,** 21

Tourette's; Guanfacine; Attention-deficit; Mania; Children **54,** 309

Trace elements; Affective disorders; Lithium; Atomic absorption spectrophotometry; Cell membrane; Controlled investigation **54,** 199

Tropics; Seasonal affective disorder; Seasonal Pattern Assessment Questionnaire **54,** 97

TSH; Melancholia; Endogenous depression; Depression subtypes; Biological markers; Cortisol **54,** 101

Validity; Assessment of depression; BRMS; Observer rating; Self-report **54,** 119

Violence; Depression; Depressive disorder; Aged; Marital relations; Family relations; Predictor; Abuse **54,** 177

Youth Self-Report; Depressive syndromes; Pubertal development; Adolescents; Child Behavior Checklist; Longitudinal **54,** 211